


**NOTES**

SUPPORTING SOIL AT BASE OF WALL TO BE SOUND NATURAL MATERIAL OR WELL COMPACTED FILLING WITH BEARING CAPACITY AT ANY DEPTH NOT LESS THEN 100kPa.

DESIGN TO BE MODIFIED IF EXCESS GROUND WATER IS ENCOUNTERED DURING EXCAVATION.



WALLS HAVE BEEN DESIGNED TO RETAIN FREE DRAINING SOILS IMMEDIATELY BEHIND WALL.

NO ADDITIONAL RETAINING WALLS ARE TO BE CONSTRUCTED WITHIN THE VICINITY OF THE TOP OR BOTTOM OF THE WALL.



**STONE PITCHED RETAINING WALL**

(SEE CIVIL ENGINEERS DRAWINGS FOR LOCATION AND EXTENT OF WALL.)



**RIENMAC** PTY LTD

CONSULTING CIVIL & STRUCTURAL ENGINEERS

**SUNSHINE COAST OFFICE:**

Street Address : SUITE 5, FIRST FLOOR 'SAINT CIRINO',  
 #137 BRISBANE ROAD, MOOLOOLABA QLD 4557, AUSTRALIA  
 Postal Address : PO Box 149, MOOLOOLABA QLD 4557  
 EMail : info@rienmac.net www.rienmac.net  
 Telephone:- 07 5478 2500 Facsimile:- 07 5444 1158  
 Mobile:- 0404 885 493

A.B.N. 52 010 666 430  
 A.C.N. 010 666 430

**GOLD COAST OFFICE:**

8 Breakwater Road,  
 Robina Qld 4226  
 E:rienmac@powerup.com.au

STONE PITCHED RETAINING WALL DETAILS  
 PROPOSED DEVELOPMENT AT  
 GUMLAND DRIVE, WITTA  
 for GREENHARVEST

PETER RIENECKER - RPEQ 2088

SCALES: 1:20

DRAWN: PJT

DATE: MAR '10

102428

JOB NUMBER

SI

DWG No.

A

ISSUE

SHOWN ON THIS DRAWING

THIS PLAN IS COPY PROTECTED BY RIENMAC PTY LTD.

DO NOT SCALE OFF DRAWINGS.

A3

SHEET | OF |

CHECKED: